




TOMTOM

JinHoo Ahn	TomTom
Bryce Herdt	TomTom
Murat Can Tonta	TomTom
Ashish Kumar	TomTom
Thomas Snyder	TomTom
Dan Katz	TomTom (Cage Pairs)

GRANDMASTER PUZZLES



TomTom by JinHoo Ahn



{1-5}

2				
		8		
26				

TomTom/2

TomTom by Bryce Herdt



{1-5}

1			2	2
		12		
2	2		50	

Loss Meme

TomTom by Murat Can Tonta



{1-6}

		10			10
	15			15	
	8				
	8		6		
4		12			
	10				

Frame

TomTom by Ashish Kumar



{1-6}

6			12		
	7	13			
			1	11	
					10
	8				
9					

One 6-13 Series

TomTom by Thomas Snyder



{1-8}



19			30			22	
	84			30		2240	
12							
	30			32			36
	240			20			
35					24		
		23					18

Tetrominoes

TomTom (Cage Pairs) by Dan Katz

{1-5}


Rules: Standard TomTom rules.
 Additionally, no clue numbers are given for the cages, but clue numbers are given for adjacent pairs of cages. For each clue number, it must be possible to apply one operation to the digits in the first cage, a different operation to the digits in the second cage, and a third operation (different from the first two) to the two cage results to obtain the given clue number.



Example by Serkan Yürekli



{1-6}



One-Two Punch